

Material Safety Data Sheet

PC - 7

MSDS No. 50506-4

Date of Preparation: 5-6-2005

Revision:7

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: PC - 7, part A

Chemical Formula: Mixture

CAS Number: Mixture

General Use: Adhesive

Manufacturer: Protective Coating Company, Inc., 221 S. Third St., Allentown, PA 18102-4922, Phone (610) 432-3543, FAX (610) 432-5043 (9AM-5PM EST)

Section 2 - Composition / Information on Ingredients

Ingredient Name		CAS Number					
Bisphenol A Epoxy Resin		25068-38-6					
Diisodecyl Phthalate		68515-49-1					
Magnesium Silicate		14807-96-6					
Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH IDLH
	TWA	STEL	TWA	STEL	TWA	STEL	
Bisphenol A Epoxy resin	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.
Diisodecyl Phthalate	5 mg/m ³	none estab.	5 mg/m ³	none estab.	none estab.	none estab.	None estab.

Section 3 - Hazards Identification

☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

Potential Health Effects

Acute Effects

Inhalation: none

Eye: moderate eye irritation or sensitization.

Skin: moderate skin irritation or sensitization.

Ingestion: possible irritation.

Carcinogenicity: IARC, NTP, and OSHA do not list PC - 7, Part A as a carcinogen.

Medical Conditions Aggravated by Long-Term Exposure: skin and eye conditions.

HMIS

H 1

F 1

R 0

PPE^{†B}

[†]Sec. 8

Section 4 - First Aid Measures

Inhalation: Remove to fresh air.

Eye Contact: Flush with water, consult a physician.

Skin Contact: Wash with water, consult a physician.

Ingestion: Seek medical advice.

After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures

Flash Point: 480° F

Flash Point Method: Closed Cup

Flammability Classification: IIIB

Extinguishing Media: Water spray, CO₂, dry chemicals.


Unusual Fire or Explosion Hazards: None known.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, aldehydes

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode.

NFPA



Section 6 - Accidental Release Measures

Spill /Leak Procedures: Dispose of in normal manner.

Disposal: Incinerate in furnace or bury in landfill according to applicable regulations; not a hazardous waste.
Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7 - Handling and Storage

Ventilation: Provide general or local exhaust ventilation systems if product is sanded or ground.
Respiratory Protection: Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.
Protective Clothing/Equipment: Wear chemically protective gloves to prevent skin contact. Wear protective eyeglasses or chemical safety goggles
Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.
Handling Precautions: None
Storage Requirements: Storage temperature: <90°F(32°C). Store in a cool, dry, well ventilated area.
Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 8 - Exposure Controls / Personal Protection

Ventilation: Provide general or local exhaust ventilation systems if product is sanded or ground.
Respiratory Protection: Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.
Protective Clothing/Equipment: Wear chemically protective gloves to prevent skin contact. Wear protective eyeglasses or chemical safety goggles.

Section 9 - Physical and Chemical Properties

Physical State: Paste	Water Solubility: Insoluble in water
Appearance and Odor: Grey, mild odor	Other Solubilities: alcohols
Density: 9.5 lbs./ gallon	Boiling Point: No data
Specific Gravity (H₂O=1, at 4 °C): 1.15	% Volatile: < 1 %

Section 10 - Stability and Reactivity

Stability: PC - 7, Part A is stable.
Polymerization: Hazardous polymerization cannot occur.

Section 11- Toxicological Information

Toxicity Data:

Lethal Dose Information(mg/kg)		Oral	Skin	Inhale	LC5
Bisphenol A Epoxy Resin		>5000 rat	20000 rabbit	N/EST	N/EST
Diisodecyl Phthalate		No data	No data	No data	No data

Section 12 - Ecological Information

Ecotoxicity: No data
Environmental Fate: No data
Environmental Degradation: No data
Soil Absorption/Mobility: No data

Section 13 - Disposal Considerations

Disposal: Incinerate in furnace or bury in landfill according to applicable regulations; not a hazardous waste.
 Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

Section 14 - Transport Information**DOT Transportation Data (49 CFR 172.101):****Shipping Name:** Not regulated**Packing Group:** Not determined**Shipping Symbols:** Not applicable.**Label:** Not required**Hazard Class:** Not Hazardous**Special Provisions (172.102):****ID No.:** Not applicable.

None

Section 15 - Regulatory Information**EPA Regulations:**

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification (40 CFR 261.): Not classified

CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); CWA, Sec. 307(a), CAA, Sec. 112

CERCLA Reportable Quantity (RQ), Not listed.

SARA 311/312 Codes: None.

SARA Toxic Chemical (40 CFR 372.65): Not listed.

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed.

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

OSHA Specifically Regulated Substance, none

State Regulations:**Section 16 - Other Information****Storage Requirements:** Storage temperature: <90°F(32°C). Store in a cool, dry, well ventilated area.**Personal Hygiene:** Wash thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Wash contaminated goggles, faceshield, and gloves.**Prepared By:** Charles Moloney**Revision Notes:****Disclaimer:** The above information is given in good faith. No warranty expressed or implied is made.

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: PC - 7, part B

Chemical Formula: Mixture

CAS Number: Mixture

General Use: Adhesive

Manufacturer: Protective Coating Company, Inc., 221 S. Third St., Allentown, PA 18102-4922, Phone (610) 432-3543, FAX (610) 432-5043 (9AM-5PM EST)

Section 2 - Composition / Information on Ingredients

Ingredient Name	CAS Number						
Aliphatic Polyaminoamide	68410-23-1						
Magnesium Silicate	14807-96-6						
Hydrocarbon Resin	9003-53-6						
Aluminum Silicate	1332-58-7						
Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH
	TWA	STEL	TWA	STEL	TWA	STEL	IDLH
Aliphatic Polyaminoamide	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.
Magnesium Silicate	5 mg/m ³	none estab.	5 mg/m ³	none estab.	none estab.	none estab.	None estab.
Hydrocarbon Resin	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.
Aluminum Silicate	5 mg/m ³	none estab.	5 mg/m ³	none estab.	none estab.	none estab.	None estab.

Section 3 - Hazards Identification

☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

HMIS
H 1
F 1
R 0
PPE†B
 †Sec. 8

Potential Health Effects

Acute Effects

Inhalation: none

Eye: moderate eye irritation or sensitization.

Skin: moderate skin irritation or sensitization.

Ingestion: possible irritation.

Carcinogenicity: IARC, NTP, and OSHA do not list PC - 7, Part B as a carcinogen.

Medical Conditions Aggravated by Long-Term Exposure: skin and eye conditions.

Section 4 - First Aid Measures

Inhalation: Remove to fresh air.

Eye Contact: Flush with water, consult a physician.

Skin Contact: Wash with water, consult a physician.

Ingestion: Seek medical advice.

After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures

Flash Point: 480° F

Flash Point Method: Closed Cup

Flammability Classification: IIIB

Extinguishing Media: Water spray, CO₂, dry chemicals.

Unusual Fire or Explosion Hazards: None known.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, aldehydes

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode.

Section 6 - Accidental Release Measures

Spill /Leak Procedures: Dispose of in normal manner.

Disposal: Incinerate in furnace or bury in landfill according to applicable regulations; not a hazardous waste.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7 - Handling and Storage

Ventilation: Provide general or local exhaust ventilation systems if product is sanded or ground.

Respiratory Protection: Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.

Protective Clothing/Equipment: Wear chemically protective gloves to prevent skin contact. Wear protective eyeglasses or chemical safety goggles.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Handling Precautions: None

Storage Requirements: Storage temperature: <90°F(32°C). Store in a cool, dry, well ventilated area.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 8 - Exposure Controls / Personal Protection

Ventilation: Provide general or local exhaust ventilation systems if product is sanded or ground.

Respiratory Protection: Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.

Protective Clothing/Equipment: Wear chemically protective gloves to prevent skin contact. Wear protective eyeglasses or chemical safety goggles.

Section 9 - Physical and Chemical Properties

Physical State: Paste

Appearance and Odor: Grey, mild odor

Density: 9.5 lbs./ gallon

Specific Gravity (H₂O=1, at 4 °C): 1.15

Water Solubility: Insoluble in water

Other Solubilities: alcohols

Boiling Point: No data

% Volatile: < 1 %

Section 10 - Stability and Reactivity

Stability: PC - 7, Part B is stable.

Polymerization: Hazardous polymerization cannot occur.

Section 11- Toxicological Information

Toxicity Data:

Lethal Dose Information(mg/kg)		Oral	Skin	Inhale	LC5
Bisphenol A Epoxy Resin		>5000 rat	20000 rabbit	N/EST	N/EST
Diisodecyl Phthalate		No data	No data	No data	No data

Section 12 - Ecological Information

Ecotoxicity: No data

Environmental Fate: No data

Environmental Degradation: No data

Soil Absorption/Mobility: No data

Section 13 - Disposal Considerations

Disposal: Incinerate in furnace or bury in landfill according to applicable regulations; not a hazardous waste. Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101):

Shipping Name: Not regulated	Packing Group: Not determined
Shipping Symbols: Not applicable.	Label: Not required
Hazard Class: Not Hazardous	Special Provisions (172.102): None
ID No.: Not applicable.	

Section 15 - Regulatory Information

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)
 RCRA Hazardous Waste Classification (40 CFR 261.??): Not classified
 CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); CWA, Sec. 307(a), CAA, Sec. 112
 CERCLA Reportable Quantity (RQ), Not listed.
 SARA 311/312 Codes: None.
 SARA Toxic Chemical (40 CFR 372.65): Not listed.
 SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed.

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed
 OSHA Specifically Regulated Substance, none

State Regulations:

Section 16 - Other Information

Storage Requirements: Storage temperature: <90°F(32°C). Store in a cool, dry, well ventilated area.

Personal Hygiene: Wash thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Wash contaminated goggles, faceshield, and gloves.

Prepared By: Charles Moloney

Revision Notes:

Disclaimer: The above information is given in good faith. No warranty expressed or implied is made.